

ActiveTester





Universal voltage tester for the entire electrical system of buildings

Direct and alternating voltages can be determined by using the 2-pole voltage tester. The device also provides information on the polarity. The ActiveTester can be used in many different situations; it identifies the most important nominal voltages and can be operated without batteries.

- Reliable and fast voltage tester with the most commonly used nominal voltages
- Practical, automatic test of AC and DC voltage
- Time-saving automatic range and function changeover
- Efficient: one measuring instrument can be used for the entire building installation
- Easy operation, no batteries required
- Sturdy, ergonomically designed housing

TECHNICAL SPECIFICATIONS

MEASURED VARIABLE	Direct voltage / alternating voltage
FEATURES	automatic measuring range
AC VOLTAGE	Range / Resolution / Accuracy: 12, 24, 36, 50, 120, 230, 400V / 7 LEDs / -30% ... 0% of the reading Bandwidth: 50 / 60 Hz
DC VOLTAGE	Range / Resolution / Accuracy: 12, 24, 36, 50, 120, 230, 400V / 7 LEDs / -30% ... 0% of the reading
PROTECTION CLASS	IP 64
DIMENSIONS (W X H X D)	60 mm x 245 mm x 25 mm



CAT III
400V

IP 64



ActiveTester

ORDER NO. 083.020A

EAN-CODE 4021563671151

PU 1