



LaserRange-Master T3





Laser rangefinder with angle function

The laser rangefinder provides point-precise determination of lengths, areas and volumes and is perfect for acquiring room sizes and calculating material quantities. The device has a continuous measuring function and an angle function for indirectly determining heights and distances. There are three options for the measuring point: front, rear or tripod. The illuminated, three-line colour LC display and ergonomic housing with a rubber casing make the device easy to use.

- Point-precise laser measurement for determining lengths, areas and volumes
- Ideal for recording room sizes and calculating material quantities
- Determination of horizontal and vertical distance with 360° slope sensor
- Pythagoras function
- Measuring levels with practical switching function: front, rear and with tripod
- Continuous measuring function
- Easy-to-read 3-line colour LC display with touch function
- Sturdy, ergonomically designed housing

TECHNICAL DATA

Precision (Typical)*	± 2 mm
Measurement Range (Inside)**	0.2 m - 30 m
Laser Wavelength	650 nm
Laser Class	2 / < 1 mW (EN 60825-1:2014/ A11:2021 / EN 50689:2021)
Units	m ft inch _ _"
Power Supply	2 x 1.5V LR03 (AAA)
Operating Conditions	0°C ... 40°C, max. humidity 20 ... 85% rH, no condensation, max. working altitude 2000 m above sea level
Dimensions (W x H x D)	32 mm x 100 mm x 23 mm
Weight	82 g (incl. batteries)



SCOPE OF DELIVERY



Item No. 080.840A GTIN (EAN) 4021563698141 SU 5