Laserliner



StarFinder

Electronic detector for live supply lines as well as wall beams and joists in drywall structures


This electronic locating device detects the precise position of live conductors, wall beams and joists. Drilling errors and expensive repairs can thus be avoided. Stable points for hanging items and areas without supporting structures, for example for clear passage, can be identified in drywall constructions The permanent voltage warning protects against unshielded, live conductors when drilling.


TECHNICAL DATA

Measuring Depth Storage Conductors Weapont Structures, for example for clear passage, can be identified in drywall constructions The permanent voltage warning protects against unshielded, live conductors when drilling.

- Exact location of the position and layout of live cables
- Safely hang items on dry walls
- Identify area between drywall profiles without supporting structures
- Avoidance of unnecessary drilling
- High level of safety through permanent voltage warning

TECHNICAL DATA	
Measuring Depth	Wood / metal beam location (STUD- SCAN): up to 4 cm depth Targeted location of live supply lines (AC-SCAN): up to 4 cm depth
Detection Range AC	110 - 230V, 50 - 60 Hz
Power Supply	1 x 9V 6LR61 (9V block)
Operating Time	approx. 8 hours
Operating Conditions	0°C 40°C, max. humidity 80% rH, no condensation, max. working altitude 2000 m above sea level
Storage Conditions	-20°C 70°C, max. humidity 80% rH
Dimensions (W x H x D)	85 mm x 180 mm x 38 mm
Weight	163 g (incl. battery)

















SCOPE OF DELIVERY

