## Laserliner

## SuperLine 2D




## Line laser for aligning work on all surfaces - recycled material is used for sustainability

The 2-axis line laser enables precise horizontal and vertical alignment on floors and walls. The 360° rotating angle scale allows the device and the scale ring to be adjusted independently to any angle. With special pins and adhesive magnets, secure mounting can be achieved on surfaces such as plaster, wallpaper, wood, veneered surfaces, and metal. The laser's housing is largely made of recycled plastic, contributing significantly to sustainability.

- Spe suc
- Suitable for use on floors and walls
- · Strong magnetic clamps for attaching to metal surfaces
- Easy-to-read, illuminated spirit-level

TECHNICAL DATA		
Vial Accuracy	± 1 mm / m	
Accuracy	± 1 mm / m	
Levelling	manual	
Laser Wavelength	635 nm	
Laser Class	2 / < 1 mW (EN 60825-1:2014/ A11:2021 / EN 50689:2021)	
Power Supply	2 x 1.5V LR03 (AAA)	
Operating Time	approx. 15 hours	
Operating Conditions	0°C 50°C, max. humidity 80% rH, no condensation, max. working altitude 4000 m above sea level	
Storage Conditions	-20°C 70°C, max. humidity 80% rH	
Dimensions (W x H x D)	126 mm x 65 mm x 98 mm x (incl. batteries)	
Weight	188 g (incl. batteries)	







Item No. 081.110E

GTIN (EAN) 4021563733651 **SU** 5

• Sustainable design: large proportion of the housing is made from recycled plastic · Accurate horizontal and vertical alignment of objects

ecial pins allow the device to be positioned on surfaces	
ch as finishing coats, carpets, wood, veneered surfaces etc.	S