

HD MicroCamera

Camera unit for VideoFlex HD – ideal for very small openings


This camera unit for the VideoFlex HD is suitable for precise problem localisation in pipelines, wall cavities and motor vehicles. Detailed images and videos can be recorded with the high-resolution camera; these are then displayed on the display of the base unit any without loss of quality. Thanks to its extremely small diameter, the waterproof, petrol- and diesel-resistant camera head is ideal for small openings, and perfect for inspecting machinery, engines and confined areas. Thanks to the first-class object lighting provided by six high-performance LEDs, you can capture reliable images even in very poor conditions.

TECHNICAL DATA


| | |
|-------------------------------|---------------------------------|
| Diameter Camera Head | 3.9 mm |
| Camera Resolution | 1280 x 720 pixels |
| Field of View (FOV) | 83° |
| Depth of Focus (DOF) | 3 ... 8 cm |
| Length of Probe | 2 m |
| Ports | Industrial connector for camera |
| Dimensions (W x H x D) | 2080 mm x 21 mm x 21 mm |
| Weight | 96 g # |



- Camera unit for the VideoFlex HD
- Effective problem localisation behind or in objects, walls, pipes, cavities
- Small camera head, ideal for places that are hard to reach
- Very detailed image and video capture using high-resolution camera and 1:1 reproduction on the display with no loss of quality
- 6 high-performance LEDs on the camera for powerful object lighting
- The camera head and probe are waterproof and resistant to petrol and diesel



SCOPE OF DELIVERY



1280 x 720 pixel

LED LIGHT

IP 68

Item No. 082.281.55 GTIN (EAN) 4021563726363 SU 1